



BEARING NO.	d_1 H_7	d_3	b_1 0 -0.13	α	b_2 ± 0.3	d_4 ± 0.5	d_5 J192	h ± 0.5	l_1 ± 0.7	d_6 ± 0.5	d_7 ± 0.5	l_3 ± 0.7	w ± 0.25	kgf-cm	kgf	g
NHS-3	3	6.8	6	11	4.5	12	M3x0.5	21	10	6.5	8	3	7	0.2~3.5	170	10
NHS-4	4	7.6	7	12	5.25	14	M4x0.7	24	12	8	9.5	4	8	0.2~3.5	250	12
NHS-5	5	8.8	8	12	6	16	M5x0.8	27	14	9	12	4	9	0.2~3.5	800	16
NHS-6	6	11.1	9	10	6.75	18	M6x1	30	14	10	13	5	11	0.2~3.5	800	25
NHS-8	8	12.7	12	12	9	22	M8x1.25	36	17	12.5	16	5	14	0.2~3.5	1200	43
NHS-10	10	15.2	14	12	10.5	26	M10x1.5	43	21	15	19	6.5	17	0.2~3.5	1700	72
NHS-12	12	17.6	16	12	12	30	M12x1.75	50	24	17.5	22	6.5	19	0.2~3.5	2400	107
NHS-14	14	19.2	19	14	13.5	34	M14x2	57	27	20	25	8	22	0.2~3.5	2700	160
NHS-16	16	22.7	21	13	15	38	M16x2	64	33	22	27	8	22	0.2~3.5	3400	210
NHS-18	18	24.1	23	14	17	42	M18x1.5	71	36	25	31	10	27	0.2~3.5	4700	295
NHS-20	20	28.8	25	12	18	46	M20x1.5	77	40	27.5	34	10	32	0.2~3.5	4900	380
NHS-22	22	30.3	28	13	20	50	M22x1.5	84	43	30	37	12	32	0.2~3.5	5500	490
NHS-25	25	32.4	31	14	22	56	M24x2	94	48	33.5	42	12	36	0.2~3.5	7100	870
NHS-28	28	35.7	35	15	24	66	M27x2	110	56	40	40	15	41	0.2~3.5	8500	1180
NHS-30	30	38.2	37	16	25	66	M30x2	110	56	40	50	15	41	0.2~3.5	10100	1450

- Materials:**
1. Appearance: Medium Carbon Steel
 2. Steel ball SUJ2 HRC 60+2°/-2°
 3. NHS Self-lubricated, Teflon, Non oil supply type